

<b>REQUEST FOR QUOTATION</b> (This is NOT an Order)		This RFQ <input type="checkbox"/> is <input checked="" type="checkbox"/> is not a small business set-aside		Page 1 Of 32
1. Request No. DAAE07-02-Q-T496	2. Date Issued 2002SEP13	3. Requisition/Purchase Request No. See Schedule	4. Cert For Nat Def. Under BDSA Reg. 2 and/or DMS Reg. 1	Rating DOA4
5A. Issued By TACOM AMSTA-LC-CJBX WARREN, MICHIGAN 48397-5000			6. Deliver by (Date) See Schedule	
5B. For Information Call: (Name and telephone no.) (No collect calls) INGRID CUFFARO (586) 574-8901 EMAIL: CUFFAROI@TACOM.ARMY.MIL			7. Delivery <input checked="" type="checkbox"/> FOB Destination <input type="checkbox"/> Other	
8. To: Name and Address, Including Zip Code			9. Destination (Consignee and address, including Zip Code)  See Schedule	
10. Please Furnish Quotations to the Issuing Office in Block 5A On or Before Close of Business (Date) 2002OCT31		IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please indicate on this form and return it to the address in Block 5B. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any interpretations and/or certifications attached to this Request for Quotation must be completed by the quoter.		

11. Schedule (Include applicable Federal, State, and local taxes)					
Item Number (a)	Supplies/Services (b)	Quantity (c)	Unit (d)	Unit Price (e)	Amount (f)
	(See Schedule)				

12. Discount For Prompt Payment	a. 10 Calendar Days %	b. 20 Calendar Days %	c. 30 Calendar Days %	d. Calendar Days	
				Number	Percentage

NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.					
13. Name and Address of Quoter (Street, City, County, State and Zip Code)		14. Signature of Person Authorized to Sign Quotation		15. Date of Quotation	
		16. Signer			
		a. Name (Type or Print)		b. Telephone	
				Area Code	
		c. Title (Type or Print)		Number	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 2 of 32
--------------------	---	--------------

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

	Regulatory Cite	Title	Date
1	52.204-4016 (TACOM)	TACOM-WARREN ELECTRONIC CONTRACTING	MAR/2001

(a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (<http://contracting.tacom.army.mil/opportunity.htm>) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at <http://contracting.tacom.army.mil/userguide.htm> and <http://contracting.tacom.army.mil/ebidnotice.htm> for more information. Any requirements included in the solicitation take precedence over guidance found on the TACOM contracting web page.

(b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.

(c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.

(d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil)

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at <http://www.ecrc.ctc.com>

[End of Clause]

2	52.215-4854 (TACOM)	PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS SOLICITATION/REQUEST	JUL/2002
---	------------------------	--	----------

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of provision]

**Name of Offeror or Contractor:**

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	<u>Supplies or Services and Prices/Costs</u>				
0001AA	<u>PRODUCTION QUANTITY</u>	36	EA	\$ _____	\$ _____
	NSN: 3040-01-187-0571 NOUN: CYLINDER ASSEMBLY,A FSCM: 19207 PART NR: 12325844 SECURITY CLASS: Unclassified PRON: EH284678EH      PRON AMD: 01 AMS CD: 060011  <u>Description/Specs./Work Statement</u> TOP DRAWING NR: 12325844 DATE: 09-JUL-2002  <u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: MIL-STD-2073-1D UNIT PACK: 1              INTERMEDIATE PACK: 1 LEVEL PRESERVATION: Military LEVEL PACKING: A MARKING OF EXTERIOR PACK TO BE SHOWN IN ACCORDANCE WITH MILSTD 129.  <div style="text-align: center;">(End of narrative D001)</div>  <u>Inspection and Acceptance</u> INSPECTION: Origin      ACCEPTANCE: Origin Inspection/Acceptance at origin means that you MUST contact the DCMC to arrange for a Government inspection BEFORE you ship the supplies called out in this order. Failure to have the items inspected and accepted will result in their rejection at the destination. The rejected supplies will be returned to you at your expense.  <div style="text-align: center;">(End of narrative E001)</div>  <u>Deliveries or Performance</u> DOC                              SUPPL <u>REL CD      MILSTRIP      ADDR      SIG CD      MARK FOR      TP CD</u> 001    W56HZV21770943    W81W1R      J      W81W1R      2 <u>PROJ CD      BRK BLK PT</u> W62N2A <u>DEL REL CD      QUANTITY      DAYS AFTER AWARD</u> 001                      5                      0150  FOB POINT: Destination  SHIP TO: <u>PARCEL POST ADDRESS</u> (W62N2A)    XU DEF DIST DEPOT SAN JOAQUIN TRANSPORTATION OFFICER PO BOX 960001 STOCKTON                      CA 95296-0130				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 4 of 32
--------------------	---	--------------

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>MARK FOR: SU W0DA FSC CBT EQMT BN NE ASIA UNIT 15704 SRA APO AP 96260-5000</p> <p>DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 002 W56HZV21770944 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 3 0150</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001</p> <p>DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 003 W56HZV21770945 W62G2T J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 2 0150</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>FREIGHT ADDRESS</u> (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000</p> <p>DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 004 W56HZV21770946 W31G1Z J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 1 0150</p> <p>FOB POINT: Destination</p> <p>SHIP TO: <u>PARCEL POST ADDRESS</u> (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380 ANNISTON AL 36201-4199</p> <p>DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 005 W56HZV21770947 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 8 0150</p>				

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001AB	FOB POINT: Destination				
	SHIP TO: <u>PARCEL POST ADDRESS</u> (W25G1U) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001				
	DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 006 W56HZV21770948 W62G2T J 2 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DAYS AFTER AWARD</u> 001 4 0150				
	FOB POINT: Destination				
	SHIP TO: <u>FREIGHT ADDRESS</u> (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000				
	DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 007 W56HZV21770949 W31G1Z J 2 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DAYS AFTER AWARD</u> 001 1 0150				
	FOB POINT: Destination				
	SHIP TO: <u>PARCEL POST ADDRESS</u> (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380 ANNISTON AL 36201-4199				
	DOC SUPPL <u>REL CD</u> <u>MILSTRIP</u> <u>ADDR</u> <u>SIG CD</u> <u>MARK FOR</u> <u>TP CD</u> 008 W56HZV21770950 W31G1Z J 2 <u>DEL REL CD</u> <u>QUANTITY</u> <u>DAYS AFTER AWARD</u> 001 12 0150				
	FOB POINT: Destination				
	SHIP TO: <u>PARCEL POST ADDRESS</u> (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380 ANNISTON AL 36201-4199				
	<u>FIRST ARTICLE TEST</u>	1	LO	\$ ** NSP **	\$ ** NSP **
	NOUN: FIRST ARTICLE TEST SECURITY CLASS: Unclassified				



Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 8 of 32
--------------------	---	--------------

Name of Offeror or Contractor:

CONTRACT CLAUSES

3	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
4	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	FEB/2002
5	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
6	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	JUL/2000
7	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	MAY/1999
8	52.246-2	INSPECTION OF SUPPLIES--FIXED PRICE	AUG/1996
9	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	OCT/2001
10	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	MAR/1998
11	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS (Alternate I dated Dec 2000)	DEC/2000
12	252.227-7013	RIGHTS IN TECHNICAL DATA --NONCOMMERCIAL ITEMS	NOV/1995
13	252.227-7028	TECHNICAL DATA OR COMPUTER SOFTWARE PREVIOUSLY DELIVERED TO THE GOVERNMENT	JUN/1995
14	252.227-7030	TECHNICAL DATA--WITHHOLDING OF PAYMENT	MAR/2000
15	252.227-7036	DECLARATION OF TECHNICAL DATA CONFORMITY	JAN/1997
16	252.227-7037	VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA	SEP/1999
17	252.246-7001	WARRANTY OF DATA	DEC/1991
18	52.209-3	FIRST ARTICLE APPROVAL--CONTRACTOR TESTING (ALTERNATE I (JAN 1997) AND ALTERNATE II (SEP 1989))	SEP/1989

(a) The Contractor shall test 3 unit(s) of Contract Line Item 0001AA as specified in this contract. At least 20 calendar days before the beginning of first article tests, the Contractor shall notify the Contracting Officer, in writing, of the time and location of the testing so that the Government may witness the tests.

(b) The Contractor shall submit the first article test report within 120 calendar days from the date of this contract to:

ACO

marked FIRST ARTICLE TEST REPORT: Contract No. \_\_\_\_\_; Contract Line Item Number \_\_\_\_\_.

Within 30 calendar days after the Government receives the test report, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the Contractor. A notice of disapproval shall cite reasons for the disapproval.

(c) If the first article is disapproved, the Contractor, upon Government request, shall repeat any or all first article tests. After each request for additional tests, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and all costs for additional tests following a disapproval. The Contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified by the Government. The Government shall take action on this report within the time specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.

(d) If the Contractor fails to deliver any first article report on time, or the Contracting Officer disapproves any first article, the Contractor shall be deemed to have failed to make delivery within the meaning of the DEFAULT clause of this contract.

(e) Unless otherwise provided in the contract, and if the approved first article is not consumed or destroyed in testing, the Contractor may deliver the approved first article as part of the contract quantity if it meets all contract requirements for acceptance.

(f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer shall, upon timely written request from the Contractor, equitably adjust under the CHANGES clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

(g) Before first article approval, the Contracting Officer may, by written authorization, authorize the Contractor to acquire specific materials or components or to commence production to the extent essential to meet the delivery schedules. Until first article approval is granted, only costs for the first article and costs incurred under this authorization are allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government. If first article tests reveal deviations from contract requirements, the Contractor shall, at the location designated by the Government, make the required changes or replace all items produced under this contract at no change in the contract price.

(h) The Government may waive the requirement for first article approval test where supplies identical or similar to those called



<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-T496      MOD/AMD</p>	<p style="text-align: center;"><b>Page 9 of 32</b></p>
--	--	--

**Name of Offeror or Contractor:**

for in the schedule have been previously furnished by the offeror/contractor and have been accepted by the Government. The offeror/contractor may request a waiver.

(i) The Contractor shall produce both the first article and the production quantity at the same facility.

[End of Clause]

TACOM ADDENDUM: For purposes of this contract, interpret Paragraph (g) above to mean that the PCO hereby authorizes you to purchase all material and components necessary to produce the production quantity.

[End of Addendum]

19                      52.219-1                      SMALL BUSINESS PROGRAM REPRESENTATIONS--ALTERNATE I dated APR 2002)                      APR/2002  
(a)

- (1) The North American Industry Classification System (NAICS) code for this acquisition is 333995.
- (2) The small business size standard is 500.

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b) Representations.

(1) The offeror represents as part of its offer that it [ ] is, [ ] is not, a small business concern.

(2) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, for general statistical purposes, that it [ ] is, [ ] is not, a small disadvantaged business concern as defined in 13 CFR 124.1002.

(3) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents as part of its offer that it [ ] is, [ ] is not, a woman-owned small business concern.

(4) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents as part of its offer that it [ ] is, [ ] is not, a veteran-owned small business concern.

(5) [Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.] The offeror represents as part of its offer that it [ ] is, [ ] is not, a service-disabled veteran-owned small business concern.

(6) [Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.] The offeror represents, as part of its offer, that -

(i) It [ ] is, [ ] is not, a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and

(ii) It [ ] is, [ ] is not, a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate of the HUBZone small business concern or concerns that are participating in the joint venture. [The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture]: \_\_\_\_\_

Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

(7) [Complete if offeror represented itself as disadvantaged in paragraph (b)(2) of this provision.] The offeror shall check the category in which its ownership falls:

- [ ] Black American.
- [ ] Hispanic American.
- [ ] Native American (American Indians, Eskimos, Aleuts, or Native Hawaiians).
- [ ] Asian-Pacific American (persons with origins from Burma, Thailand, Malaysia, Indonesia, Singapore,

<p align="center"><b>CONTINUATION SHEET</b></p>	<p align="center"><b>Reference No. of Document Being Continued</b></p> <p align="center"><b>PIIN/SIIN</b> DAAE07-02-Q-T496      <b>MOD/AMD</b></p>	<p align="right"><b>Page 10 of 32</b></p>
---	--	---

**Name of Offeror or Contractor:**

Brunei, Japan, China, Taiwan, Laos, Cambodia (Kampuchea), Vietnam, Korea, The Philippines, U.S. Trust Territory of the Pacific Islands (Republic of Palau), Republic of the Marshall Islands, Federated States of Micronesia, the Commonwealth of the Northern Mariana Islands, Guam, Samoa, Macao, Hong Kong, Fiji, Tonga, Kiribati, Tuvalu, or Nauru).

- [ ] Subcontinent Asian (Asian-Indian) American (persons with origins from India, Pakistan, Bangladesh, Sri Lanka, Bhutan, the Maldives Islands, or Nepal).
- [ ] Individual/concern, other than one of the preceding.

(c) Definitions. As used in this provision--

"Service-disabled veteran-owned small business concern"--

(1) Means a small business concern-

(i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and

(ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.

(2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

"Veteran-owned small business concern" means a small business concern-

(1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and

(2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern," means a small business concern --

(1) That is at least 51 percent owned by one or more women; or, in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and

(2) Whose management and daily business operations are controlled by one or more women.

(d) Notice.

(1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.

(2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall --

(i) Be punished by imposition of fine, imprisonment, or both;

(ii) Be subject to administrative remedies, including suspension and debarment; and

(iii) Be ineligible for participation in programs conducted under the authority of the Act.

[End of Provision]

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-T496 <b>MOD/AMD</b>	<b>Page 11 of 32</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:**

20	52.204-4006 (TACOM)	INCORPORATION OF TACOM MASTER SOLICITATION FOR SIMPLIFIED ACQUISITIONS AND DESIGNATION OF F.O.B. POINT	MAY/2000
----	------------------------	---	----------

(a) This Request for Quotation DAAE07-02-Q-T496 incorporates by reference TACOM-Warren's Master Solicitation for Simplified Acquisitions with the same force and effect as though the clauses and provisions it contains were physically incorporated into this document. The version in effect at time of award is the version that applies to your purchase order.

(b) The TACOM-Warren Master Solicitation for Simplified Acquisitions is available on our Electronic Contracting web page, which you can reach using the following URL address: <http://contracting.tacom.army.mil/opportunity.htm>

(c) The clauses and provisions in Section I of the Master Solicitation apply to all TACOM-Warren RFQs and Purchase Orders that contain this clause. The clauses contained in Section II of the Master Solicitation applies in addition to those in Section I when the RFQ or PO specifies F.O.B. Origin.

(d) We hereby specify that the required F.O.B. point for this acquisition is DESTINATION.

(e) We will keep the Master Solicitation identified in this clause available on our Electronic Contracting web page during the entire period of performance of the purchase order. If the current Master Solicitation later is revised to incorporate a change in any of the clauses, the version specified in this clause will be retained, intact, in an archive area on our web page for continued reference and use.

[End of Clause]

21	52.209-4000 (TACOM)	NOTICE REGARDING FIRST ARTICLE TEST SAMPLE	MAR/2000
----	------------------------	--	----------

(a) The approved first article items, as described elsewhere in this contract, consist of a quantity of 0 that will be consumed or destroyed in testing. Any items consumed or destroyed in testing shall not be delivered as part of the contractually required quantity as set forth in the schedule. The cost of any items that are consumed or destroyed shall be included in the overall offer or contract price. A quantity of 3 that successfully passes all specified tests, less the destructive tests, if any, SHALL serve as a manufacturing standard for the remainder of the contract.

(b) A manufacturing standard is an item, which conforms to all technical performance requirements. A manufacturing standard will serve as 1) an aid in identifying configuration changes not controlled by the contractual design. 2) as an aid in identifying any process changes, or 3) as the approved workmanship sample, when required, unless alternate samples are submitted for specific characteristics by the Contractor and approved by the Government.

(c) The manufacturing standard will only be used to supplement contractual acceptance/rejection criteria for those process characteristics that require approved workmanship samples. For other characteristics, if configuration or process changes are identified in production units, the contractor will notify the contracting officer for disposition. Manufacturing items that serve as a manufacturing standard may be delivered as part of the contractual quantity with the last shipment made under this contract provided it meets all contractual requirements existing at time of delivery.

[End of Clause]

22	52.211-4053 (TACOM)	REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING SUBSTANCES	MAR/2000
----	------------------------	--	----------

(a) The purchase description or Technical Data Package (TDP) for this purchase order incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this purchase order, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.

(b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: MIL-STD-889.

(c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: <http://contracting.tacom.army.mil/ciods.html>

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 12 of 32
--------------------	--	---------------

Name of Offeror or Contractor:

23

52.223-4002  
(TACOM)

USE OF CLASS I OZONE-DEPLETING SUBSTANCES (CIODS)

DEC/1993

(a) Definitions.

(1) Class I Ozone-Depleting Substances (CIODS) refers to the class of substances identified in Section 602(a) of the Clean Air Act, (42 U.S.C. 7671a(a)), as reproduced below:

- (i) chlorofluorocarbon-11 (CFC-11)
- (ii) chlorofluorocarbon-12 (CFC-12)
- (iii) chlorofluorocarbon-13 (CFC-13)
- (iv) chlorofluorocarbon-111 (CFC-111)
- (v) chlorofluorocarbon-112 (CFC-112)
- (vi) chlorofluorocarbon-113 (CFC-113)
- (vii) chlorofluorocarbon-114 (CFC-114)
- (viii) chlorofluorocarbon-115 (CFC-115)
- (ix) chlorofluorocarbon-211 (CFC-211)
- (x) chlorofluorocarbon-212 (CFC-212)
- (xi) chlorofluorocarbon-213 (CFC-213)
- (xii) chlorofluorocarbon-214 (CFC-214)
- (xiii) chlorofluorocarbon-215 (CFC-215)
- (xiv) chlorofluorocarbon-216 (CFC-216)
- (xv) chlorofluorocarbon-217 (CFC-217)
- (xvi) halon-1211
- (xvii) halon-1301
- (xviii) halon-2402
- (xix) carbon tetrachloride
- (xx) methyl chloroform
- (xxi) methyl bromide
- (xxii) hydrobromofluorocarbons (HBFCs)
- (xxiii) All isomers of the substances listed in this paragraph (a)(1) except for 1,1,2-trichloroethane, which is an isomer of methyl chloroform.

(2) Directly requires the use of CIODS means that the Government's specification or technical data package, at any tier, explicitly requires the use of any Class I Ozone-Depleting Substance (CIODS) in performance of the contract.

(3) Indirectly requires the use of CIODS means that the Government's specification or technical data package, while not explicitly requiring the use of any CIODS, does require a feature that you can meet or produce only by the use of CIODS.

(b) Per Section 326 of Public Law 102-484, the Department of Defense cannot award any contract that directly or indirectly requires the use of CIODS unless (i) the use of such substances is essential for contract performance, and (ii) no suitable substitute for the CIODS currently is available.

(c) Before releasing this solicitation, we conducted a best effort review of its technical requirements, standards, and specifications, to see if any contain requirements for CIODS. If we identified any such CIODS requirements, they are identified in subparagraph (d)(1) below.

(1) In addition, to help TACOM meet its obligations under Public Law 102-484, we ask you for input. If you have any special knowledge about any CIODS requirements that our specifications impose, whether directly or indirectly, or if you know about potential substitutes for any CIODS required by our specifications, we would appreciate the information.

(2) It should be understood that you are not obligated to give us the information requested by this provision, and that we cannot provide any separate or special payment for doing so. However, we are asking only for information based on knowledge that is readily available to you as a supplier in this industry. We do not expect you to do any review of our specifications more extensive than the one you perform in order to develop your price.

(d) Please summarize your own review of our specification/technical data package, by completing the following:

(1) During our review of the specification or technical data package in this solicitation, we--

- ☒ have
- ☐ have not

found any direct requirements to use any CIODS. (Since have is checked above, offerors are asked to identify, on the following lines,

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 13 of 32
--------------------	---	---------------

**Name of Offeror or Contractor:**

(i) any specifications and standards not already listed immediately below that directly require the use of CIODS; (ii) the CIODS required by the listed specifications and standards; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>
MIL-STD-889	TCA	

(2) Further, in our review of the specification or technical data package in this solicitation, we--

- ☐ have
- ☐ have not

found any indirect requirements to use any CIODS. (Offerors who check have above are asked to identify, on the following lines, (i) the specifications and standards for this acquisition that indirectly require the use of CIODS; (ii) the CIODS indirectly required by each listed specification and standard; and (iii) whether any substitutes are known to be available for the listed CIODS.)

<u>Spec/Standard</u>	<u>Required CIODS</u>	<u>Substitute Available?</u>

(e) Offerors who check have in paragraphs (d)(1) or (2) above also are requested to say whether substitutes are known to be available for any of the CIODS. If an available substitute would perform less well than the CIODS would perform, please let us know what the technical trade-offs are to the extent that you have such information available.

(f) If you checked have in paragraphs (d)(1) or (2) above, and also indicated that substitutes for CIODS are available, we need to know whether use of the suggested substitute would have any effect on your proposed price. If your proposal price for compliance with our current specifications differs from what your price would be if the substitute for CIODS were required, we ask that you let us know what the difference would be in Section B of this solicitation, by giving us two prices or offers:

--One price/offer, labeled with CIODS, will be the offered price in the event that CIODS are used.

--The second price/offer, labeled without CIODS, will be the price offered if substitutes for CIODS are used, and will specify the substitute(s) being proposed for use.

(g) Section 326 of Public Law 102-484 reflects the national and international interest in minimizing the use of CIODS. For this reason, TACOM reserves the right to (i) determine the suitability of substitutes for CIODS when such potential substitutes are available; and (ii) change the specification in any contract awarded as a result of this solicitation, to require the use of suitable substitutes in lieu of CIODS.

[End of Provision]

24            52.242-4008            ROUTING OF SPECIAL PROCESS APPROVALS            AUG/1994  
                 (TACOM)

(a) Specification TTC-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.

(b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.

(c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

[End of Clause]

25            52.242-4022            DELIVERY SCHEDULE            MAY/2000

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;"> <b>PIIN/SIIN</b> DAAE07-02-Q-T496      <b>MOD/AMD</b> </p>	<p style="text-align: center;"><b>Page 14 of 32</b></p>
--	--	---

**Name of Offeror or Contractor:**

(TACOM)

(a) The following delivery schedule applies to this procurement:

(1) See the Government's proposed schedule in Section B. Start deliveries 150 days after the date of award. Continue delivering every thirty (30) days, if necessary, until all items are delivered.

(2) You can accelerate delivery: IF AT NO ADDITIONAL COST TO THE GOVERNMENT.

(3) Delivery is defined as follows:

(i) FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual order.

(ii) FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual order. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the order, to ensure that the item reaches its destination by the time reflected in the order.

(b) CONTRACTOR'S PROPOSED SCHEDULE:

(1) I WILL START DELIVERIES \_\_\_\_\_ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, \_\_\_\_\_ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED.

(2) I WILL DELIVER A QUANTITY OF \_\_\_\_\_ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF \_\_\_\_\_ UNITS EVERY 30 DAYS.

ATTENTION: IF YOU DO NOT INSERT A MAXIMUM QUANTITY ABOVE, YOU MAY BE REQUIRED TO DELIVER THE TOTAL QUANTITY ON THIS ORDER IN ONE SHIPMENT.

[End of Clause]

26

52.204-3

TAXPAYER IDENTIFICATION

OCT/1998

(a) Definitions.

(1) "Common parent," as used in this solicitation provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

(2) "Taxpayer Identification Number (TIN)," as used in this provision, means the number required by the Internal Revenue Service (IRS) to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325(d), reporting requirements of 26 U.S.C. 6041, 6041A, and 6050M and implementing regulations issued by the IRS. If the resulting contract is subject to the reporting requirements described in Federal Acquisition Regulation (FAR) 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the government (31 U.S.C. 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN).

\* TIN:\_\_\_\_\_.

\* TIN has been applied for.

\* TIN is not required because:

\* Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the United States and does not have an office or place of business or a fiscal paying agent in the United States;

Name of Offeror or Contractor:

- \* Offeror is an agency or instrumentality of a foreign government;
- \* Offeror is an agency or instrumentality of a Federal Government;
- \* Other. State basis.\_\_\_\_\_

(e) Type of organization.

- \* Sole proprietorship;
- \* Partnership;
- \* Corporate entity (not tax-exempt):
- \* Corporate entity (tax-exempt):
- \* Government entity (Federal, State, or local);
- \* Foreign government;
- \* International organization per 26 CFR 1.6049-4;
- \* Other \_\_\_\_\_.

(f) Common Parent.

- \* Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this provision.
- \* Name and TIN of common parent:  
Name \_\_\_\_\_  
TIN \_\_\_\_\_

[End of Provision]

2752.207-4ECONOMIC PURCHASE QUANTITY -- SUPPLIESAUG/1987

(a) Offerors are invited to state an opinion on whether the quantity(ies) of supplies on which bids, proposals, or quotations are requested in this solicitation is (are) economically advantageous to the Government.

(b) Each offeror who believes that acquisitions in different quantities would be more advantageous is invited to recommend an economic purchase quantity. If different quantities are recommended, a total and a unit price must be quoted for applicable items. An economic purchase quantity is that quantity at which a significant price break occurs. If there are significant price breaks at different quantity points, this information is desired as well.

OFFEROR RECOMMENDATION

ITEM	QUANTITY	PRICE QUOTATION	TOTAL
_____	_____	_____	_____
_____	_____	_____	_____

(c) The information requested in this provision is being solicited to avoid acquisitions in disadvantageous quantities and to assist the Government in developing a data base for future acquisitions of these items. However, the Government reserves the right to amend or cancel the solicitation and resolicit with respect to any individual item in the event quotations received and the Government's

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 16 of 32
--------------------	---	---------------

**Name of Offeror or Contractor:**

requirements indicate that different quantities should be acquired.

[End of Provision]

28 52.222-22 PREVIOUS CONTRACTS AND COMPLIANCE REPORTS FEB/1999

The offeror represents that--

- (1) It ☐ has
- ☐ has not

participated in a previous contract or subcontract subject to the EQUAL OPPORTUNITY clause of this solicitation;

- (2) It ☐ has
- ☐ has not

filed all required compliance reports; and

(3) Representations indicating submission of required compliance reports, signed by proposed subcontractors, will be obtained before subcontract awards.

[End of Provision]

29 52.222-25 AFFIRMATIVE ACTION COMPLIANCE APR/1984

The offeror represents that

- (1) It ☐ has developed and has on file
- ☐ has not developed and does not have on file,

at each establishment, affirmative action programs required by the rules and regulations of the Secretary of Labor (41 CFR 60-1 and 60-2), or

(2) It ☐ has not previously had contracts subject to the written affirmative action programs requirement of the rules and regulations of the Secretary of Labor.

[End of Provision]

30 52.247-48 F.O.B. DESTINATION--EVIDENCE OF SHIPMENT (DEVIATION) JUL/1995

(a) If this contract is awarded on an f. o. b. destination basis, and if transportation is accomplished by common carrier, parcel post, or other than common carrier, the Contractor agrees not to invoice until the supplies are shipped, and to retain the following evidence of shipment (EOS) documentation for a period of 4 years after completion of the contract.

(1) If transportation is accomplished by common carrier, the Contractor will retain a signed copy of the commercial bill of lading of the supplies covered by the invoice, indicating the carrier's intent to ship said supplies to the destination specified in the contract.

(2) If transportation is accomplished by parcel post, the Contractor will retain a copy of the mailing certificate, or

(3) If transportation is by other than common carrier or parcel post, the Contractor will retain the receipt copy of the appropriate delivery document showing receipt at the destination in the contract.

(b) Retention of the above EOS documentation and having the documentation available for subsequent review, if needed, eliminates the requirement to provide these documents with the Contractor's paper, or electronically transmitted, invoices.

[End of Clause]

31 252.225-7000 BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM CERTIFICATE SEP/1999

(a) Definitions. "Domestic end product," "qualifying country," "qualifying country end product," and "nonqualifying country end



CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 17 of 32
--------------------	---	---------------

Name of Offeror or Contractor:

product" have the meanings given in the Buy American Act and Balance of Payments Program clause of this solicitation.

(b) Evaluation. Offers will be evaluated by giving preference to domestic end products and qualifying country end products over nonqualifying country end products.

(c) Certifications.

- (1) The Offeror certifies that-
- (i) Each end product, except those listed in paragraphs (c)(2) or (3) of this provision, is a domestic end product; and

(ii) Components of unknown origin are considered to have been mined, produced, or manufactured outside the United States or a qualifying country.
- (2) The Offeror certifies that the following end products are qualifying country end products:

Qualifying Country End Products

Line Item Number	Country of Origin

(List only qualifying country end products.)

- (3) The Offeror certifies that the following end products are nonqualifying country end products:

Nonqualifying Country End Products

Line Item Number	Country of Origin (If known)

[End of Provision]

32252.247-7023TRANSPORTATION OF SUPPLIES BY SEA (Alternate III dated May 2002)MAY/2002

- (a) Definitions. As used in this clause--
- (1) Components means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.

(2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.

(3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.

(4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.

(5) Subcontractor means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.

(6) Supplies means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.

(i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.

(ii) Supplies includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-T496      MOD/AMD</p>	<p style="text-align: center;"><b>Page 18 of 32</b></p>
--	--	---

**Name of Offeror or Contractor:**

vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.

(7) U.S.-flag vessel means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)(1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.

(2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-

(i) This contract is a construction contract; or

(ii) The supplies being transported are-

(A) Noncommercial items; or

(B) Commercial items that-

(1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);

(2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or

(3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

(c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--

(1) U.S.-flag vessels are not available for timely shipment;

(2) The freight charges are inordinately excessive or unreasonable; or

(3) Freight charges are higher than charges to private persons for transportation of like goods.

(d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--

(1) Type, weight, and cube of cargo;

(2) Required shipping date;

(3) Special handling and discharge requirements;

(4) Loading and discharge points;

(5) Name of shipper and consignee;

(6) Prime contract number; and

(7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.

(e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information--

(1) Prime contract number;

(2) Name of vessel;

(3) Vessel flag of registry;

(4) Date of loading;

(5) Port of loading;

(6) Port of final discharge;

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-T496 <b>MOD/AMD</b>	<b>Page 19 of 32</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:**

(7) Description of commodity;

(8) Gross weight in pounds and cubic feet if available;

(9) Total ocean freight in U.S. dollars; and

(10) Name of the steamship company.

(f) The Contractor shall insert the substance of this clause, including this paragraph (f) in subcontracts that are for a type of supplies described in paragraph (b)(2) of this clause.

[End of Clause]

33      52.204-4005      REQUIRED USE OF ELECTRONIC COMMERCE      MAY/2000  
(TACOM)

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr2000.com> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: [http://contracting.tacom.army.mil/awards\\_official.htm](http://contracting.tacom.army.mil/awards_official.htm)  
Rock Island: <http://aaais.ria.army.mil/AAIS/AWDINFO/index.htm>  
Picatinny: <http://procnet.pica.army.mil/Contracts/Index.htm>  
Red River Army Depot: <http://www.redriver.army.mil/contracting/Awards>  
Anniston Army Depot: <http://www.anadprocnet.army.mil>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/ec/ecip/index.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Additional information can be obtained by sending a message to: [acqcenweb@tacom.army.mil](mailto:acqcenweb@tacom.army.mil) or by calling (810) 574-7059.

[End of Clause]

34      52.204-4007      OFFEROR'S DATAFAX NUMBER, E-MAIL ADDRESS, AND CAGE CODE      MAY/2000  
(TACOM)

(a) If you have a company data fax number, please provide it on the following line:\_\_\_\_\_

(b) If you have a company Internet address that we can use in the future when sending out electronic notices and possibly solicitations, please provide the complete e-mail address on the following line:\_\_\_\_\_

(c) Provide your CAGE (Contractor And Government Entity) code here: \_\_\_\_\_

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 20 of 32
Name of Offeror or Contractor:		

[End of Provision]

35      52.204-4009      MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION      JUN/1999  
(TACOM)

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFQs.)

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

36      52.209-4004      DELEGATION OF AUTHORITY FOR FIRST ARTICLE APPROVAL      DEC/1996  
(TACOM)

The Administrative Contracting Officer (ACO) is delegated the authority to approve or disapprove the First Article Test Report submitted in accordance with the clause in this order entitled FIRST ARTICLE APPROVAL -- CONTRACTOR TESTING (FAR 52.209-3). A copy of the test report and the ACO's letter of approval or disapproval shall be furnished through the Procuring Contracting Officer (PCO) to: Commander, US Army Tank-automotive and Armaments Command, Attn: AMSTA-TR-E, Warren, MI 48397-5000.

[End of Clause]

37      52.209-4012      NOTICE REGARDING FIRST ARTICLE      APR/2000  
(TACOM)

(a) Notwithstanding the provisions for waiver of first article, an additional first article sample (or portion thereof) may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of one year, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply.

(b) When any of the conditions above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample (or portion thereof), and instructions can be provided concerning the submission, inspection, and notification of results.

(c) Costs of any additional testing and inspection resulting from conditions specified above shall be borne by the Contractor, unless the change was directed by the Government. Further, any production delays caused by additional testing and inspection will not be the basis for an excusable delay as defined in the default clause of this contract. Such delays shall not form the basis for adjustment in contract price or delivery schedule.

[End of Clause]

38      52.211-4008      DRAWING LIMITATION      FEB/1995  
(TACOM)

(a) The drawings forming a part of the contract specification or technical description, while adequate to permit manufacture, are engineering design drawings and are intended to (1) depict completed items, and (2) serve as a basis for the inspection of the contract

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 21 of 32
--------------------	---	---------------

**Name of Offeror or Contractor:**

items. As such they are not shop or process drawings.

(b) To this extent it is then foreseeable that notwithstanding contractor adherence to a specified range of dimensions and tolerances for each individual part, there could result cumulatively an unacceptable fit condition affecting interchangeability or function of the contract item.

(c) In recognition of the type of Government drawings provided, and their purpose and limitations as stated above, the contractor shall at his own expense be responsible for the preparation of his own shop or process drawings or other supplemental manufacturing documentation as are necessary to insure that the contractor will manufacture within the ranges of dimensions and tolerances specified, so that when considered cumulatively, the result will be a contract item that conforms to the Government drawings. To the extent that the Contractor fails to take into account the cumulative impact of dimensions and tolerances resulting in a condition affecting interchangeability or function of the contract item, he shall be responsible to correct such condition at no additional cost to the Government and at no extension in delivery schedule.

[End of Clause]

39	52.211-4010 (TACOM)	ACQUISITION OF MAUFACTURER'S PART NUMBER: COMPONENTS	FEB/1995
----	------------------------	--	----------

One or more of the drawings for part of the contract item set forth in the Schedule and in the Technical Data Package specify manufacturer's part numbers. Since complete Government technical data for such part or parts are not available, it is understood that the Contractor, by accepting this contract, agrees to furnish only the listed manufacturer's part number(s) for those components of the contract item, except as provided in the provision entitled NOTICE REGARDING "SOURCE-CONTROLLED" COMPONENTS located elsewhere herein. It is further understood and agreed that references to manufacturer's part numbers herein shall be deemed to include all changes or revisions thereto which the approved manufacturer has made effective as of the first date of delivery of any of the items under this contract; provided, that no change or revision that affects the interchangeability (ability to be interchanged with previous parts and to match with all mating parts when assembled) of the listed manufacturer's part shall be incorporated into the contract item without the prior written approval of the Procuring Contracting Officer.

[End of Clause]

40	52.211-4016 (TACOM)	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS AND GALVANIZED SURFACES	SEP/2002
----	------------------------	--	----------

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, microcrystalline, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in statistical control. Process control tests for alternative systems must ensure that the process remains in control and must be documented and approved by TACOM. Testing must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours. All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scrapped with a one inch (approximate) metal blade such as a putty knife between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg. per square foot to minimize chipping of the CARC system. All TT-C-490, zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be submitted to the procuring activity no less than 45 days prior to use. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of alternate systems must be demonstrated and approved by the procuring activity. If the TT-C-490 Type 1 system has not been previously approved by TACOM, it must be documented and submitted for approval as specified in the specification. Zinc phosphate systems for galvanized substrates require separate qualification. A list of previously qualified zinc phosphate application facilities is available from TACOM, Materials Engineering Team, (810) 574-5083. Regualification of the process will be required if the process is changed outside the limits defined in the TAOCM letter of system acceptance provided to the application facility.

(b) Qualification of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with primer only shall be cured for seven days, and scribed thru the primer. After 40 cycle test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate) with a one inch (approximate) metal blade, such as a putty knife, both parallel and perpendicular to the scribe. There shall be no more than 3 mm. of rust creep (zinc corrosion products), blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with non greater than 1 mm. This test shall be performed at two month intervals (two test coupons) to ensure that the process is in control. An alternative test for verifying process control is GM 9511P for 10 cycles.

(c) Performance tests for process control are highly dependent on the type, thickness, and VOC level of the organic coating (primer) film and its adhesion to the substrate. Any change to the solvents used in the primer or changing the brand of primer will

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-T496      MOD/AMD</p>	<p style="text-align: center;"><b>Page 22 of 32</b></p>
--	--	---

**Name of Offeror or Contractor:**

require retesting of the system. The test coupons must duplicate the production painting process as closely as possible. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control.

(d) The use of vinyl wash primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level.

[End of Clause]

41                      52.211-4017                      ENHANCED CARC REQUIREMENTS FOR HIGH PERFORMANCE SYSTEMS                      JUN/2002

(a) THE FOLLOWING REQUIREMENTS SUPERCEDE THE PERFORMANCE REQUIREMENTS CONTAINED IN TT-C-490, MIL-C-5541 AND MIL-C-53072 RELATIVE TO THE ADHESION AND CORROSION RESISTANCE OF THE CARC SYSTEM:

(b) Ferrous and galvanized surfaces shall be cleaned and pretreated to provide the following level of performance on a repeatable basis. The cleaning/pretreatment/control process shall be documented and submitted to the procuring activity for approval prior to production. Qualification and process control testing shall be performed on the same substrate used in production. The system under test shall consist of the pretreatment and primer. There are significant variations in performance due to primer manufacturer, VOC content and primer thickness variation. Sufficient testing shall be conducted to achieve a statistical confidence in both the brand/type of primer used and the dry film thickness used in production. If the tolerance of the dry film thickness exceeds plus or minus 1.0 mil then you must qualify the extremes of the range separately.

(c) To verify the corrosion resistance, a minimum of three test panels per test variation no smaller than 4 x 12 inches with the pretreatment/primer system as noted above shall be subjected to 1000 hr. of neutral salt spray per ASTM B117 (40 cycles of GM 9540P - scribed is the preferred alternative) for ferrous substrates or 40 cycles of GM 9540P for galvanized surfaces. The test panels shall be cured for a minimum of 7 days and vertically scribed through the coating system to the metallic layer. A minimum of 24 hr. after the completion of the neutral salt spray test or within 5 days after completion of the GM 9540P test the scribe shall be scraped at a 30 degree (approximate) contact angle with a 38mm (approximate) blunt tipped metal blade such as a putty knife parallel and perpendicular to the scribe. There shall be no more than 3mm maximum loss of paint adhesion or corrosion at any point from the scribe line. In addition, there shall be no more than 5 blisters in the field with none exceeding 1mm; corrosion in the field shall not exceed Rust Grade 9 of ASTM D610. The minimum primer dry film thickness noted on the test panels which passes the corrosion resistance test shall be the minimum requirement for production painted hardware.

(d) To verify long term CARC adhesion, after completion of the corrosion resistance test evaluation each test panel will be subjected to cross hatch tape test (minimum tape adhesion rating of 45 oz. per inch of width). The test pattern shall be 4 x 4 scribe lines to the metallic layer at 2mm intervals(approximate) and shall be done no closer than 12 mm from any edge or the scribe creep. Multiple head cutters are not recommended. Loss of two or more complete primer squares shall constitute failure.

(e) The contractor must demonstrate the ability to pass both tests for the system to be considered acceptable. This testing shall be performed on 5 consecutive days of production. If all test panels are acceptable, the testing can revert to two test panels every two months of production.

(f) The only system that is currently available to achieve this level of performance is a zinc phosphate pretreatment system per TT-C-490 with a high quality primer. All primers used must be on the QPL for MIL-P-23377, 53022, -53030, or 53084. Not all QPL primers with the exception of electrocoat primers per MIL-C-53084 have this level of corrosion resistance/paint adhesion, however. New high performance, "Combat Grade" Powder Coat Primers will also meet this performance requirement. These primers can only be applied by approved applicators. The Specification controlling both the primers and their application are available upon request from AMSTA-TR-E/MEPS, (586) 574-5083.

Note: Hot dipped galvanized surfaces are highly prone to chlorine/chloride contamination from the galvanizing flux process. This contaminant must be removed for the coating system to pass these performance tests.

(g) For aluminum substrates the required pretreatment system is a chromate conversion per MIL-C-5541. If alternative pretreatment systems wish to be considered, they must demonstrate their ability to pass when coated with the nominal production primer (scribed) 120 cycles of GM 9540P. After completion of the test, the panels shall be scraped as noted above and shall have no more than 0.5mm of paint loss maximum from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm. After completion of the 120 cycle test, the cross hatch scribe test noted above shall be performed. The removal of one or more complete squares of primer shall constitute failure. The alternate system must demonstrate its ability to provide an acceptable product on 5 consecutive days of production to be considered a suitable alternative. The alternative process must be documented and approved by the procuring activity. Controls must be established to assure that the process remains under statistical control. The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series aluminum alloys are Alodine 5200 and Alodine 5700.

(g) Failure to meet the corrosion resistance/adhesion requirements shall be cause for rejection of all production units manufactured during that production interval.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 23 of 32
Name of Offeror or Contractor:		

(h) Final Acceptance of the CARC Finish on Production Hardware:

The dry film thicknesses of the primer and topcoat as well as coating adhesion on the fully cured primer/topcoat coating system are mandatory requirements. Variations in the primer thickness and curing conditions will dramatically affect recoat windows and coating performance for some primers. Manufacturing processes which are unable to control the dry film thickness to the requirements contained in Table V of MIL-C-53072 shall be subjected to the 4 x 4 cross hatch scribe test noted above on two production units per lot with two tests per unit. One test shall be conducted on a vertical and one on a horizontal surface (relative to the painting process). There shall be a maximum removal of one complete square of primer/topcoat or topcoat only. The polyurethane CARC topcoat requires approximately 24 days to completely cure at 68 Degrees F. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190-210 degrees F for three hours (this is time at temperature and is, therefore, material thickness dependent) once the topcoat has reached a dry-to-touch condition. This is to be followed by 7 days at 65 degrees F minimum. Adhesion testing shall be performed only on a completely cured CARC finish. Contractors which have performed a thorough design of experiments methodology to evaluate the impact of paint system variables or have processes which meet Table V requirements can perform the final acceptance adhesion test on representative test coupons.

[End of Clause]

42            52.211-4030            SPECIAL TESTING REQUIREMENTS FOR CHEMICAL AGENT RESISTANT COATINGS            MAR/2001  
                 (TACOM)            (CARC) ON METALLIC SURFACES

(a) Application: MIL-C-46168  
                         MIL-C-53039  
                         MIL-PRF-22750

(b) End-Item Paint Inspection: After the complete paint finish has been applied and cured\* (See \*Note, below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in the Film Thickness Table below. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

(c) The precise location for each scribe tape test shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

(d) Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in the Film Thickness Table below.

\*Note: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take from 24 days.

(e) Test Methods:

(1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.

(2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:

- (i) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-T496 <b>MOD/AMD</b>	<b>Page 24 of 32</b>
<b>Name of Offeror or Contractor:</b>		

seconds of an inch apart.

(ii) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.

(iii) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.

(iv) Wait 10 seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

(f) Interpretation of Test Results

NOTE: These two tests are not a substitute for corrosion tests such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

FILM THICKNESS TABLE

<u>SPECIFICATION</u>	<u>DRY FILM THICKNESS (Mils)</u>
DOD-P-15328*	0.3 - 0.5
MIL-PRF-23377	1.0 - 1.5
MIL-P-53022	1.0 - 1.5
MIL-PRF-22750	1.3 - 1.7
MIL-P-53030	1.0 - 1.5
MIL-C-46168	1.8 - 3.2
MIL-C-53039	1.8 - 3.2

\*May not be allowed per contract due to VOC and hexavalent chromium content.

(2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Notice: The scribe tape test is designed to detect any deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (i) Inadequate cleaning of the substrate.
- (ii) Contamination of the surface between coatings.
- (iii) Excessive paint film thickness in a single coating application.
- (iv) Application of a coating over a previous coating which has not been adequately cured.

It is strongly recommended that the Contractor implement rigid in-process controls in conjunction with the best industrial painting practices to ensure that the performance requirements specified in this clause are met.

[End of Clause]



**Name of Offeror or Contractor:**

specification that requires Governmental review and approval of the phosphate coating procedures to be used by the Contractor. Such approval must precede the start of production.

(b) In consequence, if you have not obtained TACOM approval of your phosphate coating procedures, or if you have not obtained TACOM approval of the exact procedure that you will use if awarded this contract, you must be prepared to submit and gain approval of your proposed procedure before you initiate performance on any contract awarded as a result of this solicitation. (Where approval is required, the Contractor shall provide two copies of the required documents through the cognizant Administrative Contracting Officer (ACO) for his or her initial review and evaluation to the attention of the buyer, US Army TACOM (address and office symbol are given on the face of this contract or purchase order). Be sure to cite the contract number on all coating procedures being submitted for TACOM review.)

(c) If you have previously received TACOM review and approval of the same coating procedures you will use if awarded this contract, then that previous approval may be construed as meeting the requirements in MIL-DTL-16232G for preproduction approval. The Government reserves the right to require an updated approval if substantial time has passed since the last approval, or if we have encountered or suspect quality problems stemming from noncompliance with specification coating requirements. You will be notified by the Administrative or Procuring Contracting Officer after award if an updated approval of your coating procedures will be required.

(d) If you HAVE NOT received TACOM approval of your phosphate coating procedures, so indicate by checkmarking the following certification:

[ ] This company has no record of having received TACOM approval of our proposed phosphate coating procedures, as described in MIL-DTL-16232G. If awarded a contract resulting from this solicitation, we will secure the required approval before beginning production, at no additional cost to the Government, and at no extension in delivery schedule.

(e) If you HAVE received a previous TACOM approval of your proposed phosphate coating procedures, so indicate by completing all parts of the following representation:

(1) TACOM review and approval of our phosphate coating procedures was last obtained on (date)\_\_\_\_\_, for contract \_\_\_\_\_. We further certify that phosphate coating as required for that contract:

[ ] was performed in-house, in our production facility.

[ ] was performed out-of-house, by the \_\_\_\_\_ company, address as follows:

(2) If awarded a contract resulting from this solicitation, we

[ ] will

[ ] will not

use exactly the same coating procedures (including, if applicable, the same subcontractor as indicated in paragraph 1. immediately above) as those for which we have received TACOM approval as indicated above.

[End of Provision]

44 52.211-4036 FORMAT OF THE TECHNICAL DATA PACKAGE  
(TACOM)

APR/2000

(a) The TDP for the contract item is available only in electronic format via the TACOM Contracting Webpage ([contracting.tacom.army.mil](http://contracting.tacom.army.mil)). TACOM-Warren has discontinued its practice of providing hard copies (i.e. CD ROM) of technical data packages (TDPs). You must obtain a copy of the TDP for this solicitation via the TACOM Contracting Webpage. For those TDPs not available via the webpage, the TDP will be issued free of charge in CD-ROM format. The CD-ROM includes the necessary software to access, view, and print individual images that are included in the TDP. The CD-ROM can be read in any personal computer that includes a CD-ROM drive. If your company does not have a personal computer with a CD-ROM drive, you can take the CD-ROM disk to any of various commercial computing or copying/printing service, to have hard copies produced.

(b) TDPs available via the TACOM Contracting Webpage may be purchased in CD ROM format for a fee of \$4.60 each. Requests for CD ROMs and payment should be mailed to:

USATACOM  
AMSTA-CM-CDD (TDP Requests)  
Warren, MI 48397-5000

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-T496      MOD/AMD</p>	<p style="text-align: center;"><b>Page 26 of 32</b></p>
--	--	---

**Name of Offeror or Contractor:**

Make checks payable to the United States Treasury. Points of Contact for this initiative: Terri McGregor at (810) 574-7058 or Rick Khouri at (810) 574-7064.

[End of Provision]

45      52.211-4047      NOTICE TO OFFERORS INTENDING TO OFFER OTHER THAN NEW MATERIAL      APR/2000  
(TACOM)      (NEGOTIATED)

(a) We intend to acquire only new material. Unless this contract otherwise requires virgin material or supplies composed of, or manufactured from, virgin material, the contractor shall provide supplies that are new, as defined in this clause.

(b) Definitions:

(1) "New" means composed of previously unused components, whether manufactured from virgin material, recovered material in the form of raw material, or materials and by-products generated from, and reused within, an original manufacturing process; provided that the supplies meet contract requirements, including but not limited to, performance, reliability, and life expectancy.

(2) "Reconditioned" means restored to the original normal operating condition by readjustments and material replacement.

(3) "Recovered material" means waste materials and by-products that have been recovered or diverted from solid waste including post-consumer material, but such term does not include those materials and by-products generated from, and commonly reused within, an original manufacturing process.

(4) "Remanufactured" means factory rebuilt to original specifications.

(5) "Virgin material" means previously unused raw material, including previously unused copper, aluminum, lead, zinc, iron, other metal or metal ore, or any undeveloped resource that is, or with new technology will become, a source of raw materials

(6) "Residual Inventory" means inventory from a transferred or terminated Government or commercial contract.

(c) Used, reconditioned, remanufactured supplies, unused former Government surplus property, or residual inventory shall not be used unless the contractor has proposed the use of such supplies, and the Contracting Officer has authorized their use.

(d) Offers to provide other than new material shall be submitted to the Contracting Officer for approval:

(7) A proposal to provide unused former Government surplus property shall include a complete description of the material, the quantity, the name of the Government agency from which acquired, and the date of acquisition.

(8) A proposal to provide used, reconditioned, or remanufactured supplies shall include a detailed description of such supplies.

(9) A proposal to provide residual inventory shall include the Government or commercial contract number of the terminated contract and the name of the original contractor.

(e) If the use of used, reconditioned, remanufactured items, unused former Government surplus property, or residual inventory are approved by the Contracting Officer, we may require you to meet specific marking, inspection, and testing requirements beyond those found in this solicitation. We will negotiate these additional requirements with you before award and put them in any resulting contract.

[End of Clause]

46      52.213-4007      QUOTER REPRESENTATIONS (REQUEST FOR QUOTATIONS)      FEB/1998  
(TACOM)

(a) As part of this quotation, we represent as the quoter that we--

- [ ] Do
- [ ] Do Not

anticipate that any supplies will be transported by sea in the performance of any purchase order resulting from this quotation.

(b) The term supplies is defined in the Transportation of Supplies by Sea clause, in DFARS 252.247-7023 to include all materials and components that, when purchased and transported by sea, are intended for use in items to be sold to the Government under this

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-Q-T496 MOD/AMD	Page 27 of 32
Name of Offeror or Contractor:		

purchase order.

[End of Clause]

47	52.213-4859 (TACOM)	ELECTRONIC QUOTATIONS REQUIRED IN RESPONSE TO THIS REQUEST FOR QUOTATIONS (TACOM)	JUL/2001
----	------------------------	--	----------

(a) You must submit your quotation via paperless electronic media (See paragraph (b) below.). Quotations submitted in paper form are unacceptable. You must submit your electronic quotation, and any supplemental information (such as spreadsheets, backup data, technical information), using any of the following electronic formats:

(1) Files readable using these Microsoft\* 97 Office Products (TACOM can currently read Office 97\* and lower.): Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a format that includes all formulae, macro and format information. Print image is not acceptable. Executable files, other than self-extracting compressed files, are unacceptable.

(2) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.

(3) Files in HTML (Hypertext Markup Language). HTML documents must not contain active inks to live Internet sites or pages. All linked information must be contained within your electronic quotation and be accessible offline.

(4) Other electronic formats. Before preparing your quotation in any other electronic format, please e-mail the buyer identified in Block 5(b) of the SF 18 cover sheet, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the due date for quotations. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in non-consideration of your quotation. All alternate methods must be at no cost to the Government.

Note: The above formats may be submitted in compressed form using self-extracting files.

(b) Acceptable media: 100 or 250 megabyte Zip\*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, E-mail, or datafax. You must identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimile" as defined at FAR 52.215-5.

(1) 100 or 250 MEGABYTE ZIP\*-DISK, 3 1/2 INCH DISK, or 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Quoter shall label any and all submitted disks with the solicitation number and due date for quotations, and the quoter's name and address and contact phone number. In the event of multiple submitted quotations, place each quotation/submission on its own disk(s) (one quotation can comprise multiple disks). You must also submit only one quotation per envelope. Submit only one (1) of each disk (no additional copies required).

(2) E-mail. If you choose to use e-mail, ADDRESS YOUR QUOTATION TO THE BUYER identified in Block 5(b) of the SF18 cover sheet. THE SUBJECT LINE OF THE E-MAIL MUST READ "QUOTATION --[Request for Quotation number], [name of Company/offeror], DUE [due date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Any compressed files must be self-extracting, and you must provide appropriate instructions. You may use multiple e-mail messages for each quotation, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".

(3) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. Paper faxes are not acceptable. Transmit only one quotation for each datafax transaction. Clearly identify the quotation as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: the buyer's e-mail address found on the front page of the solicitation. Quoters may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax machine, you won't receive a confirmation of receipt. See paragraph (e) below for the minimum requirements of your offer. Maximum size of datafax quotations is three and one-half megabytes (3.5MB), the same limitation as that for e-mail quotations. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Note: Please select only one medium by which to transmit each quotation. For instance, do not submit a quotation via 100 or 250 megabyte Zip\*-disk AND e-mail.

(c) Security Note: If you choose to password-protect access to your quotation, you must provide the password to TACOM before the due date for quotations. Contact the buyer identified in Block 5(b) of the SF18 Request for Quotation cover sheet to arrange a means of providing it. Passwords used only for the purpose of write protecting files need not be provided.

(d) Electronic quotations should include, as a minimum:

(1) The SF18 cover sheet filled out, or equivalent information.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-T496 <b>MOD/AMD</b>	<b>Page 28 of 32</b>
---------------------------	--	----------------------

**Name of Offeror or Contractor:**

(2) All applicable fill-in provisions, filled in. You may find Word versions of these provisions requiring your fill-in on our TACOM Business Opportunities webpage (<http://contracting.tacom.army.mil/mastersol/sectionk.htm>). You can fill them in and attach them to your quote. See the solicitation for which provisions are required.

(3) A statement of agreement to all the terms, conditions, and provisions of this Request for Quotations.

(4) Any other information required by the Request for Quotations.

(e) Quoters shall make every effort to ensure that their quotation is virus-free.

\*Registered trademark

[End of provision]

48	52.214-4003 (TACOM)	ALL OR NONE	JUN/1985
----	------------------------	-------------	----------

Only one award will be made as a result of this solicitation. Offers must be submitted for the total quantity of all the items listed. Offers for less than the total quantities of all the items will not be considered.

[End of Clause]

49	52.215-4404	DATA AND COMMUNICATIONS SUBMITTED TO THE GOVERNMENT ELECTRONICALLY	MAY/2002
----	-------------	--	----------

The Government often employs contractors as system administrators to operate and maintain Government computer systems. These systems include local area networks, web sites, databases, other electronic records, e-mail accounts, other electronic data transfer mechanisms and computer software. The employees of these contracted system administrators sign nondisclosure agreements obligating them not to reveal information contained in files, documents, computers or systems that they administer. However, unless such information is protected in some way, contracted system administrators do have the ability to access such information.

Potential contractors as well as any other parties are thus advised to take steps needed to prevent access by contracted system administrators to information submitted electronically to the Government. Absent such steps, it is assumed that contracted system administrators are permitted the capability to access the data. The access will be limited to that which is necessary for the contract system administrator to perform its duties for the Government. The access shall be subject to the condition that third party information is not to be revealed by the contracted system administrator.

[End of clause]

50	52.246-4005 (TACOM)	INSPECTION AND ACCEPTANCE POINTS: ORIGIN	FEB/1995
----	------------------------	--	----------

The Government's inspection and acceptance of the supplies offered under this order shall take place at ORIGIN. Offeror must specify below the exact name and address of his facility, or his subcontractor's facility, where supplies to be furnished under this order will be available for origin inspection

Contractor's Plant: \_\_\_\_\_  
(Name and Address)

Subcontractor's Plant: \_\_\_\_\_  
(Name and Address)

[End of Clause]

51	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT	MAR/2000
----	------------------------	---	----------

(a) This solicitation will result in a purchase order that will require the contractor to use a quality-assurance system to ensure the quality of the purchased items.

(b) To allow TACOM to analyze your proposed quality system, especially if that system is not based on a national or international standard, you must identify your system as part of your response to this solicitation. Paragraph f (below) asks you to identify what quality-assurance system you will use.

<p style="text-align: center;"><b>CONTINUATION SHEET</b></p>	<p style="text-align: center;"><b>Reference No. of Document Being Continued</b></p> <p style="text-align: center;">PIIN/SIIN DAAE07-02-Q-T496      MOD/AMD</p>	<p style="text-align: center;"><b>Page 29 of 32</b></p>
--	--	---

**Name of Offeror or Contractor:**

(1) If you indicate that your quality system conforms to one of the ISO 9000-series standards, or to QS 9000, or to ANSI/ASQ 9001 or 9002, this is a sufficient description: you need not further describe your quality system in your response to the solicitation.

(2) If your quality system does not conform to any of the standards listed in (b)(1) immediately above, then in addition to identifying the name of the quality system you intend to use, you also must provide a description of your proposed system, in enough detail to let us assess its suitability for use in performing the resulting order. This is of particular importance if your proposed system is unique, using quality control methods and techniques that your company has developed in-house. (Note, however, that if the quality system you intend to use is one that conforms to MIL-Q-9858, MIL-I-45208, or another comparable military specification or standard, you don't need to send us a copy of the standard: just identify which standard you intend to use).

- (3) If you provide a description of your quality system, make sure that your description covers how your system:
- achieves defect prevention, and
  - provides process control, and
  - ensures adequate quality controls throughout all areas of performance.

If some of the features of your system are described in other forms (brochures, for example, or articles), you may attach a copy of such items to your response to this solicitation. If your system is described in a textbook or publication that is available from a commercial or academic distributor, include a reference to the publication by author, title, copyright date, and publisher in your system description. You need not physically attach a copy of a textbook to your offer.

(c) If you already described your quality system as an attachment to another TACOM solicitation within the previous 90 days, you can either send us another copy, or simply identify the number of the previous solicitation.

(d) If you do not provide us a description of your quality system, or if the description you send does not show all of the required features as stated in paragraph (b) above, your offer may be ineligible for award.

(e) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of performance.

(f) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

- ☐ ISO 9001
- ☐ ISO 9002
- ☐ QS 9000
- ☐ ANSI/ASQ Q9001
- ☐ ANSI/ASQ Q9001
- ☐ Other, specifically \_\_\_\_\_

(Note: if you check the other block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word other, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive an award, your proposed system will be required.)

(g) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(h) At any point during performance, we have the right to review your quality system to assess its effectiveness in meeting requirements.

[End of Clause]

(a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:

- (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address:

DD250@tacom.army.mil

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b>  <b>PIIN/SIIN</b> DAAE07-02-Q-T496 <b>MOD/AMD</b>	<b>Page 30 of 32</b>
<b>Name of Offeror or Contractor:</b>		

(2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7552 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

(b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.

(c) The DD250 form may be found, in three different formats, on the World Wide Web at <http://webl.whs.osd.mil/icdhome/DD-0999.htm>

[End of Clause]

53            52.247-4016            HEAT TREATMENT AND MARKING OF WOOD PACKAGING MATERIALS            JUL/2002  
(TACOM)

ALL NON-MANUFACTURED WOOD USED IN PACKAGING SHALL BE HEAT TREATED TO A CORE TEMPERATURE OF 56 DEGREES CELSIUS FOR A MINIMUM OF 30 MINUTES. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL BE AFFILIATED WITH AN INSPECTION AGENCY ACCREDITED BY THE BOARD OF REVIEW OF THE AMERICAN LUMBER STANDARD COMMITTEE. THE BOX/PALLET MANUFACTURER AND THE MANUFACTURER OF WOOD USED AS INNER PACKAGING SHALL ENSURE TRACEABILITY TO THE ORIGINAL SOURCE OF HEAT TREATMENT. EACH BOX/PALLET SHALL BE MARKED TO SHOW THE CONFORMANCE TO THE INTERNATIONAL PLANT PROTECTION CONVENTION STANDARD. BOXES/PALLETS AND ANY WOOD USED AS INNER PACKAGING MADE OF NON-MANUFACTURED WOOD SHALL BE HEAT TREATED. THE QUALITY MARK SHALL BE PLACED ON BOTH ENDS OF THE OUTER PACKAGING, BETWEEN THE END CLEATS OR END BATTENS; ON TWO SIDES OF THE PALLET.

[End of Clause]

54            52.247-4458            GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION            SEP/2000  
(TACOM)

(a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.

(b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.

(1) Unit Package:

(i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).

(ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length\_\_\_\_\_ x Width\_\_\_\_\_ x Depth \_\_\_\_\_(expressed in inches)/Weight expressed in \_\_\_\_\_ pounds

(2) Shipping Container:

(i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, \_\_\_\_\_ x Width, \_\_\_\_\_ x Height,\_\_\_\_\_ (expressed in feet and inches)

(ii) Number of unit packages per shipping container \_\_\_\_\_ each

(iii) Gross weight of Shipping container and contents \_\_\_\_\_ Lbs.

<b>CONTINUATION SHEET</b>	<b>Reference No. of Document Being Continued</b> <b>PIIN/SIIN</b> DAAE07-02-Q-T496 <b>MOD/AMD</b>	<b>Page</b> 31 <b>of</b> 32
<b>Name of Offeror or Contractor:</b>		

(3) Unitized Loads:

- (i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [ ] No [ ]; describe: \_\_\_\_\_.
- (ii) Number of Shipping containers per pallet/skid \_\_\_\_\_ each.
- (iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials \_\_\_\_\_ Lbs
- (iv) Size of Unit Load(pallet/skid including shipping container(s))assembled for handling and transportation as a single entity:  
  
Length, \_\_\_\_\_ x Width, \_\_\_\_\_ x Height, \_\_\_\_\_ (expressed in feet and inches)
- (v) Gross Weight of Unit Load \_\_\_\_\_ Lbs;

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 32 of 32
	PIIN/SIIN DAAE07-02-Q-T496	MOD/AMD	

Name of Offeror or Contractor:

LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 001	SPECIAL PKG INSTRUCTIONS	09-JUL-2002	004	